
Extended Ruler Attachment



Part Number: TP-ERA

Extended Ruler Attachment for Cabinet Hardware Jig

The extended ruler attachment eliminates the need to center your cabinet hardware jig on every drawer front which greatly speeds up hardware installation.

- Provides a measurable stop for large handles on a door
- Fits all TP Cabinet Hardware Jigs
- Metric and Imperial

Product Description

The extended ruler attachment eliminates the need to center your Cabinet Hardware Jig on every drawer front which greatly speeds up hardware installation. Attaches to Hardware Jig for quicker centering on wide drawer fronts or tall doors. Also allows adjustable starting point for line boring in assembled cabinets (please note this feature requires extension set TP-2312 or TP-1935 with marked center lines, 2016 and newer). Includes 17-1/2" ruler w/ 2 sided print, bracket for T-square connection, 2 extra thumbscrews for attaching to extension set. Fits all TP Hardware Jigs. Included ruler attachment provides a stop for drawer fronts up to 42" wide.

Included Products

- 17-1/2" ruler w/ double sided print
 - Double Bracket
 - 2x Thumbscrews
-

Technical Documents

USING EXTENDED RULER ATTACHMENT (TP-ERA) ON DRAWER



For fast repeatability use the Extended Ruler Attachment

Align each ruler at the 3" mark to extend the length of ruler to 12"

Measure drawer width

Set small end stop to half the drawer width

Now you are ready to drill on entire drawer bank

Perfectly placed

Everytime

If your handle pattern interferes with double bracketed move below & square and connect the 3" ruler at the 3" mark as pictured above

LARGE HANDLE ON WIDE DRAWER FRONT



We demonstrate a method to center a long pull on a Drawer - line up center of one hole with edge of Drawer

Measure from left of drawer to center of left hole on hardware. Use half this to set for the sliding stop end on the end

Mark selected drill bushing with tape on extension (included in TP-2512, TP-1923)

Adjust end stop at desired distance from the marked bushing

Lay the pull on the jig align with top hole

Now mark the other hole with tape

Measure height of drawer use half that number for center

Set the Large Stop and tighten at desired location

Hold stops firm against top and left side of drawer and drill your holes

Long hardware installed



TRUE POSITION TOOLS

A guide to using True Position Tools Hardware Jigs

- Always secure sliding guides and stops in position and tighten before drilling.
- Be sure to wear proper safety gear when using power tools
- Make sure hands are out of the way when drilling

See more www.truepositiontools.com

KNOB ON DOOR INSTALLATION



Place hardware to find the position you like

Measure from bottom mark position with pencil

Measure from side

Match the sliding end stop with your bottom measurement and tighten

Match Large Stop to your side measurement and tighten

Position tool with stops as shown and drill hole through drill bushing

Reverse tool position onto opposite door and drill

SCAN FOR WEB INSTRUCTIONS



HANDLE ON DOOR INSTALLATION



Place hardware to find position you like

Measure from bottom mark position with pencil

Measure from side

Measure hole centers of your hardware

Transfer your hardware measurement to the sliding drill bushing and tighten

Match bottom measurement with sliding end stop and tighten

Match side measurement to Large Stop and tighten

Position tool as shown drill through fixed center bushing for bottom hole

Drill through top sliding bushing for top hole

Reverse tool position onto opposite door and drill holes

View this product online at <https://marathonhardware.com/pd/TP-ERA>

