



Salice F70 Soft-Close Undermount Slide, 350mm (14")

Part Number: SG7E6S350XXB

Salice Progressa+ Synchronized Undermount Slide, Full-Extension, Soft-Close, 350mm (14in)

A new generation of heavy-duty fully synchronized drawer slides. Available in the full range of lengths from 350mm to 750mm.

Closing Type	Soft-Close
Length	350mm (14in)
Load Capacity	78kg (170 lbs)
Mounting Type	Screw-In
Slide Extension Type	Full Extension
Slide Type	Undermount

Product Description

The next generation of heavy duty drawer slides, featuring a fully integrated, synchronized rack and pinion system. Suitable for every drawer in the house and any commercial application without the need of any stabilizing rod, thanks to its patented smooth running action.

Salice's Smove is soft-close mechanism that's fully integrated into the drawer slide.

The fluid-based soft-close device guarantees a smooth action on any drawer. From pot and pan drawers to powder rooms, and garage cabinets to silverware drawers, Progressa+ represents an ideal and versatile solution to all needs.

Product Advantages

- 78 kg (170 Lbs) Static load capacity
- 70 kg (154 lbs) Dynamic load capacity
- · Full extension with a synchronized mechanism
- 350mm length
- Enhanced smooth soft closing action
- · Elongated holes for depth and height adjustment
- · Adjustable clips allow for easy drawer insertion and removal
- Tool free depth adjustments +/- 3 mm
- Tool free side adjustments +/- 1.5 mm
- Tool free height adjustments + 2.5 mm (located on runner)
- Optional tool free tilt adjustment +3 mm
- 12 mm (1/2") to 16 mm (5/8") drawer thickness
- Finish: bright zinc-plated
- 100% Made in Italy

Disclaimer

Salice Undermount Slides do NOT include front locking clips. These must be ordered separately.




Technical Documents

MARAT	HON	SALICE Progressa+ Technical Specifications & Ass	embly
Salice Progressa+		Product Features	
		 The Salice Progressa* is proudly 100% m advanced drawer silde is designed to de parformance and reliability. Ideal for drahome, it excels in applications requiring a making it perfect for kitchens, bathrooms where robust storage solutions are essere engineering of Progressa* ensures smoot operation, enhancing the functionality ar drawers. Full-extension, featuring the S-Drive synd prior mechanism Available in soft-dose and push-open ve Available in 9 lengths 350mm - 750mm Tool free side adjustments */- 15mm, de height adjustments */2 Smm and opfond Bongated holes for added depth and h 	eliver exceptional wers throughout the a high load capacity, , and any other areas tital. The precision h and synchronized ad durability of your wonized rack and rsions pth adjustments -/- 3mm, 18 adjustments -/- 3mm, 18 adjustments -/- 3mm,
 Sold Separat Optional: Tilt adjus 	d right side sides ely - Front fixing brackets Iment levers chronizer kit	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170bs) Dynamic load capacity: 70kg (154bs)	
 Set of left an Sold Separat Optional: Tilt adjus Push syn 	ely - Front fixing brackets Iment levers chronizer kit	 Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170bs) Dynamic load capacity: 70kg (154bs) 	optimizes the opening
 Set of left an Sold Separat Optional: Tilt adjus 	ely - Front fixing brackets Iment levers chronizer kit	 Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170bs) Dynamic load capacity: 70kg (154bs) 	optimizes the opening
Set of left an Sold Separat Optional: Tit adjus Push syn Progressa+ Orderin Length 350mn	ely - Front fixing brackets tment levers chronizer kit soft-Clase Part# 50765350008	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ks) Dynamic load capacity: 70kg (154ks) Push-Open Part# S076/75000	optimizes the opening
Set of left an Sold Separat Optional: Tel adjus Progressa+ Orderin Length 550mm 400mm	ely - Front fixing brackets tment levers chronizer kit soft-Clase Part# SofteS350008 SofteS350008	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 77kg (154ba)	optimizes the opening
Set of left on Sold Separat Optional Titl adjus Trogressa+ Orderli Length 400mm 450mm	ely - Front fixing brackets tment levers chronizer kit Soft-Close Part# <u>SofteSSooxs</u> <u>SofteSSooxs</u> <u>SofteSSooxs</u> <u>SofteSSooxs</u>	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 77kg (154ba) Push-Open Parte SatrestsSocies SatrestsSocies SatrestsSocies SatrestsSocies SatrestsSocies	optimizes the opening
Set of left an Sold Separat Optional Tit adjus Push syn rogressa+ Orderli Length 30mm 400mm 300mm	ely - Front fixing brackets tment levers chronizer kit Soft-Close Part# SofteS350008 SofteS400008 SofteS400008 SofteS400008 SofteS400008 SofteS400008 SofteS400008 SofteS400008 SofteS50008 SofteS5008 SofteS508 SofteS	Optional synchronizer kit for push-open, movement of wider drawers Static load capachy: 7/19 (17/0bi) Dynamic load capachy: 7/19 (15/4bi) Push-Open Parte Satisticad Satistic	optimizes the opening
Set of left on Sold Separat Optional Titl adjus Trogressa+ Orderli Length 400mm 450mm	ely - Front fixing brackets tment levers chronizer kit Soft-Close Part# <u>SofteSSooxs</u> <u>SofteSSooxs</u> <u>SofteSSooxs</u> <u>SofteSSooxs</u>	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 77kg (154ba) Push-Open Parte SatrestsSocies SatrestsSocies SatrestsSocies SatrestsSocies SatrestsSocies	optimizes the opening
Set of left an Sold Separat Optional: Tel adjus Tradus Push syn Tragressa+ Orderin 400mm 400mm 550mm 550mm	ely - Front fixing brackets tment levers chronizer kit soft-Close Part# SofteS350xx8 SofteS450xx8 SofteS450xx8 SofteS450xx8 SofteS50xx8	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 77kg (154ba) Push-Open Part# SOTE#55008 SOTE#5508 SOTE#5508 SOTE#5508 SOTE#5508 SOTE#5508 SOTE#5508	optimizes the opening
Set of left on Sold Separat Optional Tit adjus Push syn rogressa+ Orderli Length 400mm 450mm 500mm 600mm	ely - Front fixing brackets tment levers chronizer kit Soft-Close Part# Soft63500X8 Soft64500X8 Soft64500X8 Soft64500X8 Soft65500X8 Soft6550X8 Soft	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 7/kg (170ba) Dynamic load capacity: 7/kg (154ba) Push-Open Parte Satrestadoxes	Optimizes the opening
Set of left an Sold Separat Optional Tit adjus Tit adjus Push syn Progressa+ Orderlin Somm 400mm 400mm 500mm 500mm 600mm 600mm 600mm 600mm	ely - Front fixing brackets tment levers chronizer kit Soft-Close Part# SofteS350X8 SofteS400X8 SofteS400X8 SofteS500X8 SofteS	Optional synchronizer kit for push-open, movement of wider drawers Static load capachy: 7/19 (170ba) Dynamic load capachy: 7/19 (154ba) Push-Open Parte Satir Load capachy: 7/19 Push-Open Parte SatirLessous	Optimizes the opening
Set of left on Sold Separat Optional: Tit adjus Push syn Progressa+ Orderin 400mm 400mm 550mm 550mm 600mm 700mm	ely - Front fixing brackets tment levers chronizer kit Soft-Close Parte Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 77kg (154ba) Push-Open Part# SOTE#50008	Optimizes the opening
 Set of left on Sold Separat Optional: Tit adjus Push syn Progressa+ Orderin 250mm 400mm 500mm 500mm 500mm 700mm 700mm 720mm	ely - Front fixing brackets tment levers chronizer kit Soft-Close Parte Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe Softessooxe	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 77kg (154ba) Push-Open Part# SOTE#50008	Optimizes the opening
Set of left an Sold Separat Optional: Tradjus Tragressa+ Orderin togressa+ Orderin Somm 400mm 500mm 500mm 500mm 600mm 700mm 700mm 730mm 730mm	ely - Front fixing brockets tment levers chronizer kit Soft-Close Part= SofteSSSOK8 SofteSS	 Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 7/lig (17/bb) Dynamic load capacity: 7/lig (15/bb) Path-Open Parts State State Value State State State Path-Open Parts State State State	Optimizes the opening
 Set of left on Sold Separat Optional: Tit adjus Push syn Progressa+ Orderin 250mm 400mm 500mm 500mm 500mm 700mm 700mm 720mm	ely - Front fixing brackets tment levers chronizer kit Soft-Close Part= Softe5300x8 Softe5400x8 Softe5300x8 Softe5300x8 Softe5500x8 Softe5500x8 Softe5500x8 Softe5500x8 Softe5500x8 Softe5500x8 Softe5500x8 Softe5500x8 Softe5500x8 Softe5500x8 Softe5500x8 Softe5500x8 Softe5500x8 Softe5500x8	 Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 7/kg (170ba) Dynamic load capacity: 7/kg (154ba) Push-Open Parte S074#950008	Optimizes the opening Chy/Box 6 6 6 6 6 6 6 6 6 6 6 6 6
 Set of left on Sold Separat Optional: Tit adjus Push syn Progressa+ Orderin 250mm 400mm 500mm 500mm 500mm 700mm 700mm 720mm	ely - Front fixing brockets tment levers chronizer kit ag Guide Soft-Close Parte SoftesSock8 SoftesSock	 Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 7/lig (17/bb) Dynamic load capacity: 7/lig (15/bb) Path-Open Parts State State Value State State State Path-Open Parts State State State	Optimizes the opening

View this product online at https://marathonhardware.com/pd/SG7E6S350XXB



Technical Documents



View this product online at https://marathonhardware.com/pd/SG7E6S350XXB



Technical Documents



- True progressive action
- · Static load capacities ranging from 55 kg on Progressa to 78 kg on Progressa+ Dynamic loads spanning from 45 kg on Progressa to 70 kg on Progressa+
- Length range from 350 mm to 750 mm in 50 mm increments
- No additional stabilizer bar needed
- Compatible with drawer side material thicknesses . between 13 mm (1/2") and 16 mm (5/8")



Front Locking Devices



Standard mount -2-way clip, with

side fixing

For any further information and requests: info.salice@salicecanada.com www.salicecanada.com

Progressa

- Progressa slides meet and exceed Ansi BHMA A156.9-2020 Grade 1 standard
- Full extension with a synchronized mechanism. Available in Soft Close, integrated Push-to-Open and Shelf version
- Tool free height adjustments + 2.5 mm Tool free depth adjustments +/- 3 mm Tool free side adjustments +/- 1.5 mm
- · Lifetime warranty, 100% Made in Italy



S-Drive System



All versions and lengths of Progressa have an integrated rack and pinion system, which synchronizes the sliding elements and guarantees a true progressive action, excellent lateral stabilityand a perfectly silent movement.

View this product online at https://marathonhardware.com/pd/SG7E6S350XXB