



# Integrato Tech




LEVELLERS





# SYMBOLS AND FINISHES LEGEND

## SYMBOLS



= SHELF SAFELY LOCKED DURING TRANSPORTATION AND AT HOME.



= ANTI-TURNOVER LOCKING SYSTEM



= NORMS / PATENTS



= PHILLIPS / POZIDRIV



= WITH BUFFER



= PART NO.



= BLADE SLOT



= WITH MAGNET



= PCS. PER PACKAGE



= COMBI SLOT



= HEXAGONAL SOCKET



= NEWTON



= CAPACITY LOADING



= HEXALOBULAR SOCKET



= FRICTION



= WOOD / GLASS THICKNESS



= COUNTERSUNK HEAD



= AUTOMATIC



= HOLE DIAMETER



= PAN HEAD



= DROP DOWN



= DIAMETER



= FLANGE HEAD



= LENGTH



= FLAT HEAD



= STANDARD HINGE



= HEIGHT



= TRILOBULAR SCREW



= KIMANA HINGE



= RIGHT VERSION



= SELF-TAPPING SCREW



= FLAP HINGE



= LEFT VERSION



= EURO THREAD



= WITH SPRING



= SETTING CODE



= METRIC THREAD



= WITHOUT SPRING



= PCS. PER PAD



= PRE-INSERTED SCREW



= REVERSED SPRING



= CUT ON REQUEST



= PRE-INSERTED SCREW AND SPREADING BUSH


























= SELF ADHESIVE



= WITH FLANGE

NOTE: Printing errors and omissions may exist despite our best efforts to ensure accuracy. We reserve the right to alter specifications without notice.

## MATERIALS

 ZA = Zinc Alloy	 ST = Steel	 HSS = High Speed Steel	 BR = Brass	 ABS = Acrylonitrile Butadiene Styrene
 ZAnk = Nickel-plated Zinc Alloy	 STzk = Zinc-plated Steel	 AL = Aluminium	 WD = Wood	 EVA = Ethylene Vinyl Acetate
 EP = <b>ENGINEERING PLASTIC</b>		+  EP = other engineering plastic available on request		 SR = <b>SOFT RUBBER</b>
				+  SR = other soft rubber available on request
 EPn = Natural Engineering Plastic	 EPc = Clear Engineering Plastic	 SRn = Natural Soft Rubber		
 EPw = White Engineering Plastic	 EPg = Grey Engineering Plastic	 SRw = White Soft Rubber		
 EPwg = Water Green Engineering Plastic	 EPa = Anthracite Engineering Plastic	 SRb = Black Soft Rubber		



## FINISHES



= OTHER FINISHES AVAILABLE ON REQUEST


PART NO.	FINISHES	PART NO.	FINISHES	PART NO.	FINISHES
00	Insignificant finish	IF	Middle Grey	RO	Red
AA	Natural	IJ	Light Grey	UT	T-Met 9007
AB	White	IL	Grey 20	UZ	T-Met
AE	White 9010	IN	Grey met. 26	WA	Bronzed
EA	Black	JB	Bright Aluminium	WI	Burnished
EC	Matt Black	JC	Aluminium - Chrome	XD	Satin-finished Steel
EE	Anthracite	JD	Matt Aluminium	YA	Nickel-plated
EW	Grey 9007	JE	Satin-finished Aluminium	YB	Bright Nickel-plated
FU	Gunmetal	JF	Aluminium - Brass	YC	Matt Nickel-plated
FV	Gunmetal V52	JG	Aluminium 5	YD	Satin-finished Nickel-plated
GR	Raw	JL	Aluminium PE 11	YQ	Black Nickel
HA	Brass-Plated	JM	Aluminium RAL 9006	Z9	Black Zinc
HH	Tropicalized	KA	Chrome	ZA	Zinc alloy
HL	Raw Brass	KB	Bright Chrome	ZN	Zinc-plated
HX	Graphite	KC	Matt Chrome	ZO	Bright Gold
IA	Grey	LD	Brown 8019	ZY	Titanium
IB	Metallic Grey	NN	Metallic Beige	ZZ	Clear





## INTEGRATO TECH





175 Kg per piece





**INTEGRATO TECH "A"**  
screw fixing only




**INTEGRATO TECH "D"**  
with pins for holes Ø5 mm




**INTEGRATO TECH "G"**  
with spikes



**VERSION WITH ADJUSTMENT 0 - 12 mm**




**VERSION WITH ADJUSTMENT 0 - 20 mm**




**ADJUSTMENT**

### INTEGRATO TECH WITH PRE-INSERTED SCREW FIXING




### INTEGRATO TECH SPACER

For details refer to section "Integrato Tech spacers"




### PLINTH CLIP ACCESSORY

For details refer to chapter "Connectings".





**INTEGRATO TECH "A" ADJUSTMENT 12 mm**



**ADJUSTMENT 0 - 12 mm**


= S4, S6  
 = 200 pcs.

123

**3505001000**



**INTEGRATO TECH "A" ADJUSTMENT 12 mm WITH PRE-MOUNTED SCREWS**



**ADJUSTMENT 0 - 12 mm**

= S4, S6  
 = 200 pcs.

123

**3505002000**





## INTEGRATO TECH "A" ADJUSTMENT 20 mm

**ADJUSTMENT 0 - 20 mm**

= S4, S6

ST EP ZA = 200 pcs.

123

**3505003000**

## INTEGRATO TECH "A" ADJUSTMENT 20 mm WITH PRE-MOUNTED SCREWS

**ADJUSTMENT 0 - 20 mm**

= S4, S6


ST EP ZA = 200 pcs.

123


**3505004000**



**INTEGRATO TECH "D" ADJUSTMENT 12 mm**




**ADJUSTMENT 0 - 12 mm**




**3508001000**



**INTEGRATO TECH "D" ADJUSTMENT 12 mm WITH PRE-MOUNTED SCREWS**



**ADJUSTMENT 0 - 12 mm**




**3508002000**





## INTEGRATO TECH "D" ADJUSTMENT 20 mm



**ADJUSTMENT 0 - 20 mm**


= S4, S6  
 = 200 pcs.

123

**3508003000**



## INTEGRATO TECH "D" ADJUSTMENT 20 mm WITH PRE-MOUNTED SCREWS



**ADJUSTMENT 0 - 20 mm**

= S4, S6  
 = 200 pcs.

123


**3508004000**







**INTEGRATO TECH "G" ADJUSTMENT 12 mm**




**ADJUSTMENT 0 - 12 mm**




**3506001000**



**INTEGRATO TECH "G" ADJUSTMENT 12 mm WITH PRE-MOUNTED SCREWS**



**ADJUSTMENT 0 - 12 mm**




**3506002000**





## INTEGRATO TECH "G" ADJUSTMENT 20 mm



### ADJUSTMENT 0 - 20 mm



= S4, S6




= 200 pcs.



3506003000



## INTEGRATO TECH "G" ADJUSTMENT 20 mm WITH PRE-MOUNTED SCREWS



### ADJUSTMENT 0 - 20 mm



= S4, S6



= 200 pcs.



3506004000





**INTEGRATO TECH FIXING ACCESSORY**



= Ø 3 mm +   
 = PZ2  
 ST  = 1000 pcs.


123   
**60103230ZN**



= Ø 2,5 mm +   
 = PZ2  
 ST  = 8.000 pcs.


123   
**60101400ZN**

**INTEGRATO TECH ACCESSORIES**



= Ø 8 mm +   
 EP  = 5000 pcs.

123   
**23002010AB**



= Ø 6 mm +   
 EP  = 5000 pcs.

123   
**23001060AB**









## INTEGRATO TECH SPACERS



Whenever it is deemed necessary, over the leveller INTEGRATO TECH without pre-mounted screws, can be slotted a **SPACER** to give a structural support to the furniture bottom. The spacer is available in three heights (H=24, H=40, H=60).


Engineering plastic

### INSTALLATION





### APPLICATIONS

Wardrobes with loading onto the bottom panel




Wardrobes with drawers resting on the bottom panel







EP	= 200 pcs.
123	
<b>35040070EA</b>	



EP	= 200 pcs.
123	
<b>35040060EA</b>	



EP	= 200 pcs.
123	
<b>35040050EA</b>	



[www.italianaferramenta.it](http://www.italianaferramenta.it)