

M-Series Eco-Bin

Technical Specifications & Assembly

M-Series Eco-Bin Door-Mounted





Product Features

The classic waste pullout is the best economical solution for waste recycling in your kitchen. Featuring an integrated door mount bracket, and a full-extension slide.


- Bottom mounted for easy installation
- Door-mount bracket for a pull-out application
- Integrated cover to prevent pesky odours
- Load capacity: 25kg (55lbs)
- 2 Bins (2 x 20L)


Ordering Guide

Ordering Golde		
	Description	Part#
	White 402 x 410 x 496mm (15 $^{3}/_{4}$ x 16 $^{1}/_{8}$ x 19 $^{1}/_{2}$ ")	04-1014-W
A	thracite Grey 402 x 410 x 496mm (15 $^{3}/_{4}$ x 16 $^{1}/_{8}$ x 19 $^{1}/_{2}$ ")	04-1014-AG

Minimum Interior Cabinet Dimensions

W x H x D 420 x 480 x 510mm (16 $\frac{1}{2}$ x 18 $\frac{7}{8}$ x 20 $\frac{1}{16}$ ")





What's In The Box

1.

χ4

2. x16

3. x6

4.

χ4

5.

x16

Pan Head #8 x 5/8in

#8 x 1in

Pan Head

Flat Head $5/32 \times 2in$ Flat Head

5/32 x2 3/8in

6.

 $\chi 4$

7.


χ4

8.







Pan Head #8 \times 1/2in




Internal Cabinet Required Dimensions









Bottom Bracket Drilling and Installation





Side Spacer Installation (optional)



Door Installation

